


Roofing Product Solutions

**ROOFLINE | RAINWATER | ROOFLIGHTS
DRY VERGE | INSULATION | ROOF GLAZING**



eurocell

Ask in branch for exclusive trade deals

Lightweight Roofing


Contents

Slateskin	22
Envirotile	23
Tapco	28
Metrotile	32
Corrugated Roof - Onduline	36
Dry verge	38
Roofing Membrane	43
Dry valley	44

Eurocell's comprehensive range of roof tiles are lightweight and easy to install. With 3 leading options of Envirotile, Tapco and Metrotile, we've got it covered.

Adding to the growing range of lightweight roofing products, and new to the range, Eurocell has added Onduline corrugated roofing sheets.

- **Slateskin** The leading GRP sheet roof tile system from our Equinox conservatory roof system, which gives a traditional slate-effect in half the time is now available as a stand-alone product suitable for a range of domestic applications.
- **Envirotile** is a revolutionary roof tile system developed by a roofer for roofers, and has a unique fixing system which is fully compliant with BS 5534. It's leading design means it requires just 12 tiles per m², and can be installed to a minimum of 12.5° pitch. A flat, precision manufactured, recycled polymer, lightweight roof tile with excellent green credentials.
- **Tapco** slate is a stylish range of traditional format roof tiles made from 100% virgin resins and limestone. A stylish addition to conservatory or other light weight roofing jobs, Tapco is extremely hard wearing, easy to fit and can be installed to a minimum of 12° pitch.
- **Metrotile** the lightweight steel roofing systems, pressed from the highest quality steel and providing a durable solution to all of your roofing needs. From small conservatories to large-scale new build projects.
- **Onduline** The original bituminous roof sheet for renovating the roofs of a versatile mix of applications from garden sheds, pergolas, summer houses and workshops.



ONDULINE CORRUGATED ROOF SHEET

Flashing

Contents

Midland Lead	48
Lead Alternative	52
Bostik Flashband	53
Easy-trim Lead R	54
Cromar Leadax	56

Flashing is an impervious material installed to weatherproof areas of a structure.

For roofing applications, lead is traditionally used, but we also offer lead free alternatives, which are suitable for rainwater harvesting.

- **Midland Lead** - Eurocell offer an extended range of Lead Flashing from Midland Lead, with Code 3 – Code 8 available either in branch or to order. Lead can be used on various applications including Flat roofs, dormer, chimney flashing, cover flashing, lead valleys and soakers.



Midland Lead

- **Bostik Flashband** Self Adhesive Flashing Tape for Roofs is a flexible bitumen strip that bonds instantly to most building materials to provide a permanent, watertight seal.



Bostik Flashband

- **Easy Trim Lead-R** - BBA approved Easy Lead R and Easy Lead R Smooth are aluminium based, high performance, low cost flashing products. They are used as a replacement for traditional lead in flat and pitched roof applications.



Easy Trim Lead-R

- **Cromar Leadax** - Leadax is the first lead alternative in the World with the same properties as Traditional Lead. Leadax is not harmful to health or the environment. A second-generation lead alternative which is not only easier to use but also easier on your pocket.




Cromar Leadax

Flat Roofing

Contents

Elevate rubber roofing	60
Liquid waterproofing Ultra Flex	68
Cromar ProGRP	70
Flexiglass GRP	72
TriRoof HPX	74
Acrypol repair	75
GRP Trims	76
Timber	80
Insulation	83



SEE
PAGE
104

The roof lantern that everyone looks up to

- **Elevate Rubber Cover™ EPDM**
Flat roofing membranes for residential use.
- **Ultra Flex Liquid Flat Roof Waterproofing** is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.
- **Cromar PRO GRP** is the professional choice for glass fibre flat roofing. Cold-applied and with high impact and fire resistance, it provides a seamless, highly durable, flexible and virtually maintenance-free finish for almost any flat roof surface. Pro GRP is available in component form.
- **HPX TriRoof HPX** is the ultimate Roofing Overlay System, designed to work all year round from the colder, wetter months and throughout the heat of the summer. TriRoof HPX can be applied effortlessly on nearly any surface and even on wet or damp substrates, meaning you don't have to plan your work around the weather.
- **Acrypol +** is The original instant waterproof solution for emergency leaks & failing flat roofs.



SKYPOD ROOF LANTERN WITH CROMAR PRO GRP
GLASS FIBRE FLAT ROOFING SYSTEM



eurocell

**Introducing Iconiq.
Made for rapid installation to lighten your load.**

Conservatories

Contents

Equinox tiled roof	96
Conservatory roofs	100
Luma flat rooflight	102
Iconiq aluminium roof lantern	104
Skypod PVC-U lantern roof	106
Roof Glazing	110
Canopies	118

A superb selection of conservatory roofs to suit every home, plus conservatory accessories and canopies

- **Equinox tiled roofs**
transform your customers' conservatories from an under-used room into a cosy, welcoming space that provides complete comfort all year round - find out more on page 96
- **Iconiq Roof Lantern**
Our brand new aluminium roof lantern has been designed with installers in mind. Our Q-lok technology means installation can be in less than an hour.
- **Skypod lantern roofs**
with an acute design option now available, Skypod lantern roofs have never looked better. Why not offer your customers sleek, contemporary design with Skypod today? - find out more on page 106
- **Polycarbonate roof glazing**
- offers a great cost saving solution to traditional glass options - find out more on page 110

SKYPOD LANTERN ROOF



Canopies and Panels

Evolution Canopies

A versatile range of stylish canopies provide additional shelter

IDEAL FOR:

- Residential use
- Car ports
- Covered walkways
- Patio/garden areas
- Commercial use
- Patio/garden areas



Conservatory PVC-U panels

Don't want to build a dwarf wall, or go for a fully glazed conservatory?

THEN CHOOSE
PVC-U
CONSERVATORY
PANELS INSTEAD

- Low-maintenance
- Perfectly colour-matched to windows and roof



COUNT ON OUR TRADE ACCOUNT

eurocell

OUR TRADE ACCOUNT BENEFITS:

- **Exclusive trade pricing** so you're always guaranteed the best price
- **Trade credit available** for flexibility when you need it
- **Rapid setup**, your account and benefits live in just 15 minutes
- **Expert support** through a dedicated account manager

eurocell

Sign up today.
Get the benefits straight away.

Square-Line Rainwater System – 114mm

The square-line rainwater system has an easy clip design with rounded ends to ensure simple installation. The system is suited to residential applications, and is compatible with many other existing systems.

AGS2 AGS4 2m gutter 4m gutter 2m lengths 4m lengths	AUS1 Union bracket	AKS1 Fascia bracket	AES1 External stop end
AES2 Internal stop end	AOS1 Running outlet	AOS2 Stop end outlet	ARSS1 Squareline Rubber Seal Spare
AAS1 90° angle	AAS2 135° angle	AAS3 120° angle	AAS4 150° angle

COLOUR OPTIONS - Light Oak available on request

W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE
---------	----------	----------	---------------

10 YEAR guarantee

5 YEAR guarantee

Half-Round Rainwater System – 112mm

The half-round rainwater system has an easy-clip design with rounded ends ensuring simple installation. The system is suited to residential applications, and is compatible with many other existing systems.

AG2 AG4 2m gutter 4m gutter 2m lengths 4m lengths	AU1 Union bracket	AK1 Fascia bracket	AE1 External stop end
AE2 Internal stop end	AO1 Running outlet	AO2 Stop end outlet	ARS1 Half Round Rubber Seal Spare
AA1 90° angle	AA2 135° angle	AA3 120° angle	AA4 150° angle

COLOUR OPTIONS

W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE
---------	----------	----------	---------------

10 YEAR guarantee

5 YEAR guarantee

Brackets & Accessories

The system is suited to residential applications and is compatible with many other existing systems.

RF/ HALF Rise and Fall Bracket - Half Round



RF/ DEEP Rise and Fall Bracket - Deep High Capacity



RF/ SQUARE Rise and Fall Bracket - Square-Line



GGUA Gutter guard 10 x 500mm lengths (5m)



AHS1 Hopper



Gutter brush

FloPlast GutterBrush offers a low maintenance solution for keeping gutters free from debris. Available in black and white.

- Simple to install
- Will flex to fit virtually any shaped gutter system
- Prevents debris such as moss/leaves/twigs/ seeds from blocking the gutter
- Made from high quality Polypropylene filaments securely fixed into a flexible central rust-free stainless steel core
- Low maintenance

Glazing bars

Code	Description	Unit
GUTTERBRUSHBK	Gutter Brush Black 4m	Each
GUTTERBRUSHW	Gutter Brush White 4m	Each



Ultra-Flex High Performance Liquid Waterproofing

ULTRA FLEX
★ ★
BEST SELLER
★ ★ ★

NEW QUICK-CURE
Can be used to speed up the curing process and
COMPLETE THE JOB IN 1 DAY!

FEATURES & BENEFITS

Ultra Flex is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.

It is ideal for	Benefits include
New roofs	Pre-mixed
Repair or refurbishment of existing roofs	Excellent adhesion to most surfaces
Flat & low pitched roofs	Early rain resistance
Complex detailing	Cold weather application
Box Gutters and Valleys	Easy wet-on-wet application
	Easy to use with detail and awkward areas
	Flame/heat free application
	Highly elastomeric
	Reinforced & seamless
	From small domestic to large commercial roofs
	Balcony systems available

Guarantees
available from
15 to 25 years



Commercial Rainwater System

150mm

- Designed to handle large volumes of water with ease, as the outlet design encourages a vortex effect for greater water flow down the pipe



Commercial Rainwater System (170mm)

Designed to handle large volumes of water with ease, as the outlet design encourages a vortex effect for greater water flow down the pipe. The Commercial system is suited to commercial or large domestic housing projects.

AG46BL 4m gutter	AA16BL 90° angle	AE16BL External stop end	AE26BL Internal stop end
AK16BL Fascia bracket	AO16BL Running outlet	AU16BL Union bracket	EDSBD135B 135° offset bend top
EDSBSS135B 135° offset bend bottom	SPCDB Pipe clip	AHS16BL Hopper	COLOUR OPTIONS
SPS3M 3m soil pipe (single socket) 4m lengths			<p>BK BLACK</p> <p>Grey also available on request</p>

TRADE DISCOUNTS ARE AVAILABLE
- why not open an account in branch today?



Cast Iron Effect Guttering

A stylish range of guttering and downpipe products










A decorative effect that combines the look of a traditional cast iron system

- Quick to install and ready to fit without the need for painting or protective coatings
- Reduced total installation cost. (No metal primer, spanners, paint, or disc cutters required)
- Durable and long-lasting finish without the need to apply corrosion control traditionally used with cast iron systems
- UV stabilised to protect against colour fade
- Lightweight construction for easy handling, assembly and installation
- Stylish and functional, making the range suitable for new build and residential projects











Cast Iron Effect 112mm PVC-U

The Cast Iron Effect System offers a high capacity rainwater solution while still benefiting from the timeless appearance of a Cast Iron Effect rainwater system. Its deep semi-elliptical profile means it can be used on most domestic applications.


AG4KI Polyflow 4m gutter 	AU1KI Union bracket 	AA1KI 90° angle 	AA2KI 135° angle 
AO1KI Running outlet 	AE1KI External stop end 	AK1KI Fascia bracket 	AA3KI 120° angle AA4KI 150° angle  

Cast Iron Effect Downpipe Systems PVC-U

The Elegance range is designed in such way that each profile system in the range utilises a common downpipe.

AP25KI Downpipe 2.5m 	AHS1KI Decorative hopper 	AS1KI Pipe socket 	AB3KI Shoe 
AB1KI 90° bend 	AB2KI 112° offset bend 	AY1KI 112° branch 	AC1KI Pipe clip 

Soil Systems



RELIABLE SOIL SOLUTIONS
 Maximum durability
 Cost-effective
 Push-fit style is quick and easy to install
 Reliable watertight joints
 Interchangeable with leading manufacturer's products made to EN1329

110mm System Ideal for domestic and commercial applications

SPE3MB Plain 3m Soil Pipe in black

SPS3M 3m soil pipe (single socket)
 Black (B) White (W)

3m length

EDSCB Double socket coupling

SPCDB Pipe clip

SSOBB Strap boss

EDSBSS135B 135° soil bend (sgl socket)

EDSBSS92.5B 92.5° soil bend (sgl socket)

SAFB 92.5° angle access bend (dbl socket)

EDSBDS92.5B 92.5° soil bend (dbl socket)

EDSBR92.5B 92.5° soil branch (double Socket)

EDSBRT135B 135° soil branch (triple socket)

SAFTB 92.5° access branch (triple socket)

EDSBR135B 135° soil branch (dbl socket)

EDSBRT92.5 92.5 degree soil branch (triple socket)

EDSBR135B 135° soil branch (double socket)

SSBPB Soil boss pipe

SVC Soil vent cage
 Black (B) White (W)

SWC Soil weathering collar
 Black (B) White (W)


AV110BL Air admittance valve



GREAT VALUE, MAINTENANCE-FREE UNDERGROUND DRAINAGE

- Easy to lay
- Flexible – to accommodate normal ground movement
- Adaptable – connects to existing drainage systems
- Suitable for commercial and residential installations
- Available in 82mm, 110mm, 160mm diameters

110mm System (160mm system available to order - ask for details)



Plain ended pipe

Code	Size
UGP3M	110mm x 3m
UGP6M	110mm x 6m

EDUC 110mm coupler double socket




KPSL1000 Soluble Lubricant



EDUBSS87.5 110mm 87.5° bend single socket



EDUBSS45 110mm 45° bend single socket



EDUBSS30 110mm 30° bend single socket



EDUBSS15 110mm 15° bend single socket



EDUBDS87.5 110mm 87.5° bend double socket



EDUBDS45 110mm 45° bend double socket



EDUBDS30 110mm 30° bend double socket



EDUBDS15 110mm 15° bend double socket



UGB87.5RB 110mm 87.5° rest bend double socket



UGLRB87.5 110mm 87.5° long radius bend plain ended



AB01 - 0-45° 110mm 0 - 45° adjust bend double socket



AB02 - 0-90° 110mm 0-90° adjust bend double socket



EDUJDS87.5 110mm 87.5° equal junction double socket



EDUJDS45 110mm 45° equal junction double socket



EDUJTS87.5 110mm 87.5° equal junction triple socket



EDUJTS45 110mm 45° equal junction triple socket



UGAP5 110mm socket plug



UGG4 110mm back inlet bottle gully



UGG6 110mm bottle gully




UGG46EXT 110mm raising piece for bottle gully



Underground Drainage

UGG3 110mm lowback "P" trap	UGG1 110mm universal gully trap	UGH1 110mm hopper inc square plastic grid	UGH3 110mm rectangular hopper
UGAF6 110mm 45° rodding eye terminal socket	ADS6BL 110mm universal drain adaptor	JCA02 Flexicon universal drain coupler 100-115mm	UGMBS 320mm chamber base
UGRS 320mm riser for chamber base c/w seal	UGMC1PLSQ 320mm square PP cover & frame	UGMBL 460mm chamber base 110mm outlets	UGRL 460mm riser 215mm
ED470SEAL 460mm seal for riser	MCCRPLSQ 460mm PP cover & 65mm deep frame	MCCRPL 460mm cover & frame A rated	UGMC1PL 320mm cover & frame


Channel Drainage



A UNIQUE & EASY TO INSTALL SURFACE WATER DRAINAGE SYSTEM

- Easy to assemble, handle and install surface drainage system
- Effectively removes water from pedestrian areas
- Can withstand 5 tonne vehicle weight
- Innovative, lightweight and durable design

KCD5T 1m channel drainage

Applications

- Driveways
- Patios
- Garage entrances
- Thresholds

Accessories

KCD90 Channel drain quad connector 118 x 118mm	KCDSE5T Channel Stop End	KCDOUTLET Channel Drain Outlet
--	------------------------------------	--

12°
CAN NOW BE FITTED
AT 12° ROOF PITCH!

Made for each other



also ideal for:



modular homes



outdoor living



self-build



listed & conservation



...and don't forget to enquire about our TapcoSlate Classic, purpose-built roofing accessories – they make completing the job so much easier!



There's no better choice for your conservatory roof than market-leading TapcoSlate Classic!

- Lightweight – as low as 12kg per m²
- BRE testing for wind-driven rain found TapcoSlate Classic to perform much stronger than all equivalent materials tested
- No breakages – will not crack, split or break if dropped or walked upon
- Authentic slate appearance – combines the beauty of slate with modern technology
- Fully tested to BBA Standards, including fire, wind, driven snow & rain, and water absorption
- 40-year warranty!
- Easy to install with pre-marked nailing and exposure guides, plus horizontal spacers
- Easily cut with a fine-toothed saw or sharp utility blade
- Random Edges and patterns with constant colour throughout each slate
- Wide choice of colours to match existing structures or to add a little more pizzazz to your conservatory

eurocell.co.uk



Product specification is subject to change without notification. Please also note that colours shown are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.