

Product Data Sheet

Application: Pitched Roofs

Isover Spacesaver



Thermal insulation for pitched roof joist applications

Isover Spacesaver is a glass mineral wool roll which is pre-perforated to fit between common joist spacing at ceiling level. It is supplied in longer-length rolls to increase efficiency by reducing the number of rolls required to be delivered, stored and opened during installation. Other products within the range include Isover Spacesaver Lite, Isover Spacesaver Ready-Cut and Isover Spacesaver Plus.

Features and Benefits



THERMAL INSULATION

Thermal conductivity of 0.044 W/m.K. Helps to reduce heat loss within the building envelope and as a result decreases energy costs.



RECYCLED GLASS

Manufactured from up to 82% recycled glass with all electric equipment in the plant powered by 100% renewable electricity. For further details visit isover.co.uk/CSR



A1 FIRE CLASSIFICATION

Achieves a Euroclass A1 Reaction to Fire classification, according to EN 13501-1.



EASE OF INSTALL

The benefit to the installer with our Spacesaver products is that they are pre-perforated rolls to fit common joist spacing, significantly aiding installation. In contrast, other insulation materials—such as insulation boards—typically require manual cutting to fit joist spacing, increasing installation time and effort. Additionally, the longer roll lengths of these particular Spacesaver products allow more material to be laid in one go, helping to meet installation requirements with less effort compared to other insulation materials used in the same application.

Key Considerations

When using Isover Spacesaver, you need to satisfy yourself that use of the product meets all relevant national Building Regulations and guidance as well as local, national and other applicable standards relevant for your construction or application, including requirements in relation to fire and applicable height restrictions.

Please refer to the following product documents:

- Declaration of Performance - available at isover.co.uk/dop
- Safe Use Instruction Sheet - available at isover.co.uk/healthandsafety

Product Specification

Product code	Thickness (mm)	Length (m)	Width* (m)	Roll area (m ²)	Rolls per pallet	Pallet area (m ²)	λD Declared thermal conductivity (W/m.K)	RD Declared thermal resistance (m ² .K/W)
5200854520	100	12.18	1.16	14.13	24	339.09	0.044	2.25
5200854529	150	8.05	1.16	9.34	24	224.11	0.044	3.40
5200854549	170	7.03	1.16	8.15	24	195.72	0.044	3.85
5200840154	200	5.20	1.16	6.03	24	144.77	0.044	4.50

Characteristics

Thermal	Declared thermal conductivity of 0.044 W/m.K under EN 13162: Thermal insulation products for buildings. Factory made mineral wool (MW) products.
Fire	Euroclass A1 Reaction to Fire classification according to EN 13501-1.
Environmental	All Isover products are manufactured under Environmental Management System - ISO 14001:2015.
Recycled Content	Manufactured from up to 82% recycled glass.

Certification	UKCA Marked to BS EN 13162. CE marked to EN 13162. Designation code: MW-EN 13162-T1.
Handling, Storage, Health and Safety	Information regarding storage, installation and handling of Isover products and health & safety information can be found at isover.co.uk/healthandsafety . Achieves a Eurofins Gold product status for indoor air quality (certificate available at isover.co.uk/Eurofins). EUCEB certified, demonstrating our mineral wool fibre products conform with Note Q of Regulation (EC) No 1272/2008 (to download the certification, please visit isover.co.uk/accreditations).



Isover

Saint-Gobain Isover UK Limited,
Saint-Gobain House, East Leake, Loughborough,
Leicestershire, LE12 6JU.

**Customer Service -
Order Placement and Enquiries**

Tel: 0800 0322 555
Email: isover.customerservice@saint-gobain.com

Technical Support Team

Email: isover.technical@saint-gobain.com

isover.co.uk

Published date: 22 September 2025

Isover reserves the right to amend or revise product specification without notice. The information in this publication is correct at the time of publication. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work.

For an up-to-date library of product information, users should visit the website at isover.co.uk

Saint-Gobain Isover UK Registered in England. Company Number 10442670.

Registered Offices: Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU.