

DECLARATION OF PERFORMANCE



Katepal Pintari

DOP-10459-006

1. Unique identification code of the product type

Katepal Pintari

The declaration of performance applies to all colors, lengths, and widths of the product in question.

2. Type, batch or serial number of the product

-

3. Intended use or uses of the construction product

EN 13707:2004 + A2:2009 Reinforced bitumen sheets for roof waterproofing

4. Contact information of the manufacturer

Katepal Oy, Katepalintie 15, 37500 Lempäälä, Finland, +358 3 375 9111, info@katepal.fi

5. Where applicable, contact information of the authorised representative

-

6. AVCP-class

2+

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard

The certification body for quality control, No. 0809 Eurofins Expert Services Oy, which has conducted the initial inspection of the factory and its internal quality control system, as well as continuously monitors, evaluates, and approves the factory's internal quality control, has issued the Factory Production Control Certificate No. 0809-CPR-1030.

8. In case of the declaration of performance concerning a construction product covered by a european technical approval (ETA)

-

9. Declared performances

Characteristic	Performance level	Unit	Testing method
Thickness	2,8± 0,3	mm	EN 1849-1
Visible defects	Ei virheitä	-	EN 1850-1
Watertightness	Pass		EN 1928 A
Tensile strength			
longitudinal	535 ± 107	N / 50 mm	EN 12311-1
transversal	425 ± 85	N / 50 mm	EN 12311-1
Elongation at maximum force			
longitudinal	> 25	%	EN 12311-1
transversal	> 25	%	EN 12311-1
Resistance to tearing			
longitudinal	250 ± 50	N	EN 12310-1
transversal	200 ± 40	N	EN 12310-1
Flexibility at low temperature			
upper surface	-5	°C	EN 1109
Stability at elevated temperature	90	°C	EN 1110
External fire performance according to EN 13501-1³⁾	BR00F (t2)		ENV 1187 (t2)
Dimensional stability	± 0.3	%	EN 1107-1
Adhesion of granules	< 30 / -	%/g	EN 12039
Dangerous substances¹⁾²⁾	NPD		

¹⁾ This product does not contain asbestos or tar constituents.

²⁾ In the absence of European harmonized test methods, verification and declaration on release/content has to be done taken into account national provisions in the place of use.

³⁾ System test. Check the manufacturer's website for more details.

10. Signed for and on behalf of the manufacturer by

Mia Kuhlman
Quality & Development Manager

Lempäälä 20/01/2026

The product mentioned in this Declaration of Performance is CE marked in accordance with the harmonized standard(s) specified in the Declaration of Performance.